



• Installation Details

Refer to the Crisp handling and installation guide for in-depth instructions.

Please add an overage of 12-15%. This allows for greater flexibility during the evaluation process on-site to ensure the best outcome.

Crisp Charred can be installed vertically or horizontally

• Finish Specifications

All products are factory-finished and arrive on-site ready for installation

• Pre-finish: Crisp Charred features a two-coat system.

• Applied Finish: Broda SLT or Broda DR. Water-borne, natural oil, low V.O.C, alkyd, penetrating stain.

• Coating Options:

- Broda clear U.V top coat oil for exterior.
- Broda Clarity acrylic clear top coat.

• Species

Western Red Cedar is a medium - to large-sized, evergreen, scale-leaved conifer. It is one of the most valuable conifers owing to the unique colour, texture, and durability of its wood.

It is renewable, biodegradable, sourced from sustainably managed forests, naturally resistant to rot and decay, and is one of the most dimensionally stable softwoods.

• Wood Grade

Crisp Charred is available in:

- Select tight knot specified lengths
- C&BTR clear mixed grain 6'-20' random tally
- C&BTR clear vertical grain 3'-20' random tally

Product pictures of Crisp Charred features select tight knot unless noted

• Fire Rating

Class B flame spread

• Moisture Content

Crisp Western Red Cedar is kiln-dried to a MC of 12-15%. This may fluctuate during transportation or warehousing. Make sure to acclimatize on-site before installation.

• Surface and Texture

Shou Sugi Ban is a traditional Japanese technique that involves charring the surface of the wood. We then deeply brush off the loose soot layer to create a deep, topographical, smooth texture. This leaves the burnt ridges of the latewood and deep valleys of the early wood.

• Profiles & Dimensions

*The profiles shown are standard dimensions.

Crisp can supply any custom profile*

